

### MATERIAL SAFETY DATA SHEET

# Water Resistant Tile Adhesive – MC-M 800

## **1. PRODUCT AND COMPANY INFORMATION**

Manufactured / Distributed by

MC-Bauchemie Manufacturing PLC. P.O. Box 5452 Addis Ababa, Ethiopia Addis Ababa, Ethiopia Tel: +251 11 5544334 Tel: +251 11 5544557/8 Fax: +251 11 5543610 www.mc-bauchemie.com Email: <u>ethiopia@mc-bauchemie.com</u>

### 2. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical characterization

White Portland cement, oven dried processed sand and chemical additives including vinyl acetate /ethylene co-polymer re-dispersible powder polymers.

Component	CAS Number	Weight %
White Portland Cement	65997-15-1	45 -55%
Fine Processed Sand		45 -55 %
Chemical Additives – Copolymer powder of vinyl acetate and ethylene, Cellulose Powder	9032-42-2, 24937-78-8	2 - 3%

### **3. HAZARDS**

Primary hazard Secondary hazard	Nuisance dust Irritant to skin, eyes contact
4. FIRST AID MEASURES	
Eye contact	If the eyes are contaminated, flush them without delay with large amounts of clean water for at least 15 minutes and get medical attention promptly.
Skin contact	If skin contact occurs, wipe clean the skin immediately with paper towels and wash immediately with a commercial skin cleaner or with liquid soap and plenty of warm water. Any contaminated clothing, shoes, should be removed and not reused until clean of resin. Any injuries or irritation that may occur should receive prompt medical attention.
Inhalation	Not normally applicable. Remove person to fresh air. Obtain medical assistance if symptoms persist.
Ingestion	Do not induce vomiting, give one pint of water or milk and obtain medical attention without delay.
5. FIRE FIGHTING AND MEASURES	

# Suitable Extinguishing Not

Not required, but can be used such as Foam, carbon dioxide, dry powder, water jet



Media Not to be used	None
Combustion products	N/A

#### 6. ACCIDENTAL RELEASE MEASURES

After spillage / leakage

Take up mechanically or with an absorbent material e.g. sand, sawdust and collect in a disposal bag. Please refer to local rules and regulations for disposal.

## 7. HANDLING AND STORAGE

Protective measures

Keep containers well-closed and away from children. Store in cool (not under 5 degrees C) dry, well ventilated area. Keep away from flames and sources of ignition.

#### 8. PERSONAL PROTECTION / EXPOSURE CONTROLS

Gloves, safety goggles, dust mask must be worn
Chemical resistant apron, face shield, safety helmets, boots,
etc must be worn while handling and proper precautions should
be taken.
Do not use solvent to clean the skin, use industrial skin
cleansers or liquid soap and warm water, dry with paper towels
not cloth towels. Do not smoke in working area. Remove
contaminated clothing and launder before reuse.
Always work in well-ventilated areas.
Observe good housekeeping and general hygiene guidelines.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form	Granular Powder
Color	Off-White
Odor	None
Change in physical state	No statement possible
Density	~1500-1800 KG/M <sup>3</sup>
Wet Density	$1.75 \pm 0.2 \text{ kg/Ltr}$
Viscosity	N/A
Vapor pressure, mbar(°C)	N/A
Solubility in water	Partially soluble
рН	N/A
Boiling Point, °C	N/A
Flash Point	N/A
Ignition temperature	N/A
Thermal decomposition	N/A
Explosion limits	N/A

#### **10. STABILITY AND REACTIVITY**

Hazardous reactions

N/A

#### **11. INFORMATION ON TOXICITY**

Information of toxicity in general

Can cause nuisance dust in dry powdered form. Risk of sensitization, which may lead to allergic dermatitis. Persons with a history of skin allergies or a tendency towards dermatitis should not handle such products.



# 12. INFORMATION ON ECOLOGICAL EFFECTS

12. INFORMATION ON ECOLOGICAL EFFECTS		
General information	Do not discharge the material into drains, sewers, etc.	
13. DISPOSAL		
Disposal	Dispose empty bags and surplus material to a place as accepted by builders. Attention is drawn to the Control of Pollution Act 1974, the provision of which are enforced by local authorities.	
14. TRANSPORT		
IMDG Code UN No. ICAO / IATA RID/ADR GGVE/GGVS ADNR Other Information	N/A Regarded as non-hazardous for transport	
<b>15. REGULATIONS</b>		
Labelling Symbol R Phrases S Phrases	Clear indication and identification of materials None Dust & harmful to respiratory system May cause sensitization to skin contact After contact with skin, wash immediately with water and soap. Wear suitable PPE's for protection.	

### **16. FURTHER INFORMATION**

Further information

All statements are based on our experience to date. Form based on DIN 52900. The information shown is based on our experience to date

and is true to the best of our knowledge. Any recommendation or suggestions made are without any guarantee. No responsibility is accepted that the information herein is sufficient or correct in all cases.